



Scope of Application

High Capacity Series for Storage or Transport (Round Canisters) provides two cryopreservation solutions for long-term static storage and transportation of biological samples.

Innovative Design

Round Canisters for Straw Storage
 Numbered Index Canister Locations

High Thermal Efficiency
5 Year Vacuum Warranty

Extended Hold Time

High Capacity

Roller Bases Available
 O

LN2 Dispenser
 O Lockable

Qingdao Haier Biomedical Co.,Ltd.

No.280 Feng Yuan Road, High-tech Zone, Qingdao, 266109, P.R. China Tel: +86-0532-88935593 E-mail: inquiry@haierbiomedical.com Website: www.haiermedical.com







.








- Strong and lightweight aluminium construction
- Heavy duty lockable enclosure offers excellent security
- Numbered index location points for canisters
- Straw storage
- LN2 dispense pump available


Product Advantages 〈

- Narrow neck design and excellent thermal conductivity reduces evapouration loss of liquid nitrogen to extend storage times.
- Large-capacity models have wider necks for easy access to biological samples.



Technical Parameters

- Roller bases available
- High thermal efficiency
- 5 year vacuum warranty
- Ultra-low evapouration loss
- Long-term cryopreservation models have narrower necks with less heat intrusion.



	Model	YDS-2-30	YDS-2-35	YDS-3	YDS-6	YDS-10	YDS-10-80
-	No. of Canister	3 (0)	3 (3)	6 (0)	6 (0)	6 (0)	6 (0)
	No. of Straws (Single Layer) (0.5ml each canister)	90	165	792	792	792	2244
Maximum Capacity	No. of Straws (Single Layer) (0.25ml each canister)	204	330	1788	1788	1788	5022
	No. of Straws (Double Layer) (0.5ml each canister)	_	_		_	—	_
	No. of Straws (Double Layer) (0.25ml each canister)				_		
	Volume of LN ₂ (L)	2	2	3	6	10	10
Performance	Static Evapouration* (L/Day)	0.07	0.08	0.12	0.12	0.12	0.21
	Static Holding Time** (Day)	28	24	26	52	86	48
	Opening Diameter (mm)	30	35	50	50	50	80
	Height (mm)	399	428	435	482	552	557
	Outside Diameter (mm)	223	204	223	300	300	300
	Canister Outside Diameter (mm)	19	25	38	38	38	63
Dimensions	Outside Height (mm)	120	120	120	120	120	120
-	Empty Weight (kg)	2.8	2.6	3.1	4.8	6.1	6.2
	Full Weight (kg)	4.5	4.4	6	9.9	14.5	14.7
	Shipping Weight (kg)	5.1	4.9	5.8	8	9	9.3

	Model	YDS-10-125	YDS-13	YDS-15	YDS-20	YDS-30
	No. of Canister	1(0)	6 (0)	6 (0)	6 (0)	6 (0)
	No. of Straws (Single Layer) (0.5ml each canister)	854		792	792	792
Maximum Capacity	No. of Straws (Single Layer) (0.25ml each canister)	1940		1788	1788	1788
	No. of Straws (Double Layer) (0.5ml each canister)	_	1284	_	1284	1284
	No. of Straws (Double Layer) (0.25ml each canister)	_	2832	_	2832	2832
	Volume of LN ₂ (L)	10	13	15	20	30
Performance	Static Evapouration* (L/Day)	0.43	0.12	0.11	0.12	0.12
	Static Holding Time** (Day)	24	109	134	168	254
	Opening Diameter (mm)	125	50	50	50	50
	Height (mm)	625	623	591	672	705
	Outside Diameter (mm)	300	310	394	394	462
Dimensions	Canister Outside Diameter (mm)	97	38	38	38	38
	Outside Height(mm)	120	276	120	120/276	120/276
-	Empty Weight (kg)	6.3	6.3	8.5	9.5	12.9
	Full Weight (kg)	15.1	17.3	20.5	28.1	36.6
	Shipping Weight (kg)	8.6	11	13	15	18

	Model	YDS-30-80	YDS-30-125	YDS-35	YDS-35-80	YDS-35-125	YDS-47-127
	No. of Canister	6 (0)	6 (0)	6 (0)	6 (0)	6 (0)	10 (10)
	No. of Straws (Single Layer) (0.5ml each canister)	2244	5124	792	2244		
Maximum Capacity	No. of Straws (Single Layer) (0.25ml each canister)	5022	11952	1788	5022	_	_
	No. of Straws (Double Layer) (0.5ml each canister)	3624		1284	3624	9048	8200
	No. of Straws (Double Layer) (0.25ml each canister)	8460		2832	8460	20760	16400
	Volume of LN2 (L)	30	30	35	35	35	47
Performance	Static Evapouration* (L/Day)	0.21	0.35	0.12	0.22	0.37	0.36
	Static Holding Time** (Day)	147	90	286	159	97	130
	Opening Diameter (mm)	80	125	50	80	125	127
	Height (mm)	709	704	749	753	748	718
	Outside Diameter (mm)	462	462	462	462	462	508
	Canister Outside Diameter (mm)	63	97	38	63	97	72
Dimensions	Outside Height (mm)	120/276	120	120/276	120/276	120/276	276
	Empty Weight (kg)	13	13	14.2	14.5	14.6	18.2
	Full Weight (kg)	37	38.9	42.7	42.9	43.2	54
	Shipping Weight (kg)	18.3	19.3	20	20.7	22	28

	Model	YDS-20B	YDS-30B	YDS-35B
	No. of Canister	6 (0)	6 (0)	6 (0)
	No. of Straws (Single Layer) (0.5ml each canister)	792	792	792
Maximum Capacity	No. of Straws (Single Layer) (0.25ml each canister)	1788	1788	1788
Capacity	No. of Straws (Double Layer) (0.5ml each canister)	1284	1284	1284
	No. of Straws (Double Layer) (0.25ml each canister)	2832	2832	2832
	Volume of LN ₂ (L)	20	30	35
Performance	Static Evapouration* (L/Day)	0.2	0.2	0.2
	Static Holding Time** (Day)	101	159	179
	Opening Diameter (mm)	50	50	50
	Height (mm)	672	705	749
	Outside Diameter (mm)	394	462	462
Dimensions	Canister Outside Diameter (mm)	38	38	38
Dimensions	Outside Height (mm)	120/276	120/276	120/276
-	Empty Weight (kg)	9.5	12.9	14.2
	Full Weight (kg)	27.9	37.1	42.8
	Shipping Weight (kg)	15.1	18.3	20.1

	Model	YDS-35B-80	YDS-35B-125	YDS-50B	YDS-50B-125
	No. of Canister	6 (O)	6 (O)	6 (O)	6 (0)
	No. of Straws (Single Layer) (0.5ml each canister)	2244	5124	792	5124
Maximum Capacity	No. of Straws (Single Layer) (0.25ml each canister)	5022	11640	1788	11640
	No. of Straws (Double Layer) (0.5ml each canister)	3624	9048	1284	9048
	No. of Straws (Double Layer) (0.25ml each canister)	8460	20760	2832	20760
	Volume of LN ₂ (L)	35	35	50	50
Performance	Static Evapouration* (L/Day)	0.3	0.41	0.24	0.45
	Duration of Normal Operation** (Day)	119	86	213	110
	Opening Diameter (mm)	80	125	50	125
	Height (mm)	753	748	810	817
	Outside Diameter (mm)	462	462	462	462
	Canister Outside Diameter (mm)	63	97	38	97
Dimensions	Outside Height (mm)	120/276	120/276	120/276	120/276
	Empty Weight (kg)	14.5	14.6	17.2	17.3
	Full Weight (kg)	43	43.5	60.3	62
	Shipping Weight (kg)	20.7	22	24	25.4

† A(B): A for maximum number of canisters, B for number of canisters in standard configuration

* Static evapouration and static holding time are theoretical values. Actual evapouration and holding time are affected by usage, atmospheric conditions and manufacturing tolerances.

** Static Holding Time: the amount of days it takes for all of the LN to evapourate out after container is filled with liquid nitrogen to pre-cool and reach thermal equilibrium and the liquid nitrogen filling rate reaches 100% under standard atmospheric condition.

Vials Cane Specification 🕻

Canister	Height 120mm, Diameter 38mm5 (0mm neck)			
Vials	Canes/Canister	Vials/Cane	Vials/Canister	
0.5ml	4	3	12	
1.5ml	4	3	12	
2ml	4	3	12	
3ml	4	3	12	
5ml	4	1	4	

Canister	Height 120mm, Diameter 63mm (80mm neck)				
Vials	Canes/Canister	Vials/Cane	Vials/Canister		
0.5ml	16	3	48		
1.5ml	16	3	48		
2ml	16	3	48		
3ml	16	3	48		
5ml	16	1	16		

Canister	Height 120mm, Diameter 72mm (127mm neck)			
Vials	Canes/Canister	Vials/Cane	Vials/Canister	
0.5ml	21	3	63	
1.5ml	21	3	63	
2ml	21	3	63	
3ml	21	3	63	
5ml	21	1	21	

Canister	Height 120mm, Diameter 97mm (125mm neck)			
Vials	Canes/Canister	Vials/Cane	Vials/Canister	
0.5ml	<u> </u>	—		
1.5ml	40	3	120	
2ml	40	3	120	
3ml	40	3	120	
5ml	40	1	40	

Canister	Height 120mm, Diameter 104mm (127mm neck)			
Vials	Canes/Canister	Vials/Cane	Vials/Canister	
0.5ml	—		—	
1.5ml	46	3	138	
2ml	46	3	138	
3ml	46	3	138	
5ml	46	1	46	

Canister Height 276mm, Diameter 38mm (50mm neck) Vials/Canister Canes/Canister Vials/Cane Vials 0.5ml 4 6 24 4 6 24 1.5ml 2ml 4 6 24 24 4 6 3ml 4 З 12 5ml

Canister	Height 276mm, Diameter 63mm (80mm neck)			
Vials	Canes/Canister	Vials/Cane	Vials/Canister	
0.5ml	16	6	96	
1.5ml	16	6	96	
2ml	16	6	96	
3ml	16	6	96	
5ml	16	3	48	

Canister	Height 276mm, Diameter 72mm (127mm neck)				
Vials	Canes/Canister	Vials/Cane	Vials/Canister		
0.5ml	21	6	126		
1.5ml	21	6	126		
2ml	21	6	126		
3ml	21	6	126		
5ml	21	3	63		

Canister	Height 276mm, Diameter 97mm (125mm neck)		
Vials	Canes/Canister	Vials/Cane	Vials/Canister
0.5ml	<u> </u>		—
1.5ml	40	6	240
2ml	40	6	240
3ml	40	6	240
5ml	40	3	120

Canister	Height 276mm, Diameter 104mm (127mm neck)		
Vials	Canes/Canister	Vials/Cane	Vials/Canister
0.5ml			—
1.5ml	46	6	276
2ml	46	6	276
3ml	46	6	276
5ml	46	3	138









Model	Product	Model	Description and Accessories
	Liquid Nitrogen Container	YDS-2-30	Includes 3 canisters, lockable cap and protective jacket
YDS-2-30	Canister (TT19)	TT2-30	Φ 19 single tier canister, without goblets, suitable for YDS-2-30
	Cork (30)	GS2-30	Suitable for YDS-2-30
	Lockable Cap	SG-30	Suitable for container with 30mm neck opening, suitable for YDS-2-30
	Liquid Nitrogen Container	YDS-2-35	Includes 3 canisters, lockable cap and braces for carrying, no protective jacket
	Canister (TT25)	TT2-35	$\Phi25$ single tier canister, without goblets, suitable for YDS-2-35
YDS-2-35	Cork (30)	GS2-35	Suitable for YDS-2-35
	Lockable Cap	SG-35	Suitable for container with 35mm neck opening, suitable for YDS-2-35
	Liquid Nitrogen Container	YDS-3YS	Includes 6 canisters (height 120mm), lockable cap and protective jacket
	Liquid Nitrogen Container	YDS-3 (2019)	Includes protective jacket only
YDS-3	Canister (TT38)	TT3-50	Φ 38 single tier canister, without goblets, suitable for YDS-3
	Cork (50)	GS10-50	Suitable for YDS-3/YDH-3/YDS-6/YDS-10/YDS-13/YDS-25/YDS-50B
	Lockable Cap	SG-50	Suitable for container with 50mm neck opening
	Liquid Nitrogen Container	YDS-6YS	Includes 6 canisters (height 120mm), lockable cap and protective jacket
	Liquid Nitrogen Container	YDS-6	Includes protective jacket only
YDS-6	Canister (TT38)	TT6-50	Φ 38 single tier canister, without goblets, suitable for YDS-6
	Cork (50)	GS10-50	Suitable for YDS-3 / YDH-3 / YDS-6 / YDS-10 / YDS-13 / YDS-25 / YDS-50B
	Lockable Cap	SG-50	Suitable for container with 50mm neck opening
	Liquid Nitrogen Container	YDS-10YS	Includes 6 canisters (height 120mm), lockable cap and protective jacket
	Liquid Nitrogen Container	YDS-10	Includes protective jacket only
YDS-10	Canister (TT38)	TT10-50	Φ 38 single tier canister, without goblets, suitable for YDS-10
	Cork (50)	GS10-50	Suitable for YDS-3/YDH-3/YDS-6/YDS-10/YDS-13/YDS-25/YDS-50B
	Lockable Cap	SG-50	Suitable for container with 50mm neck opening
	Liquid Nitrogen Container	YDS-10-80-6YS	Includes 6 canisters (height 120mm), lockable cap and protective jacket
	Liquid Nitrogen Container	YDS-10-80	Includes protective jacket only
YDS-10-80	Canister (TT63)	TT10-80	$\Phi63$ single tier canister, without goblets, suitable for YDS-10-80
	Cork (80)	GS10-80	Suitable for YDH-6-80/YDS-10-80
	Lockable Cap	SG-80	Suitable for container with 80mm neck opening
	Liquid Nitrogen Container	YDS-13YS	Includes 6 canisters (height 276mm), lockable cap and protective jacket
	Liquid Nitrogen Container	YDS-13	Includes protective jacket only
YDS-13	Canister (TTS38)	TTS13-50	$\Phi38$ double-tier canister, 2 goblets included, suitable for YDS-13
	Cork (50)	GS10-50	Suitable for YDS-3/YDH-3/YDS-6/YDS-10/YDS-13/YDS-25/YDS-50B
	Lockable Cap	SG-50	Suitable for container with 50mm neck opening





Model	Product	Model	Description and Accessories
YDS-15	Liquid Nitrogen Container	YDS-15YS	Includes 6 canisters (height 120mm), lockable cap and protective jacket
	Liquid Nitrogen Container	YDS-15	Includes protective jacket only
	Canister (TT38)	TT15-50	Φ 38 single tier canister, without goblets, suitable for YDS-15
	Cork (50)	GS20-50	Suitable for YDS-15 / YDS-20 / YDS-30 / YDS-35 / YDS-20B / YDS-30B / YDS-35B
	Lockable Cap	SG-50	Suitable for container with 50mm neck opening
	Liquid Nitrogen Container	YDS-20-6YS	Includes 6 canisters (height 276mm), lockable cap and protective jacket
	Liquid Nitrogen Container	YDS-20YS	Includes 6 canisters (height 120mm), lockable cap and protective jacket
	Liquid Nitrogen Container	YDS-20	Includes protective jacket only
YDS-20	Canister (TT38)	TT30-50	Φ 38 single tier canister, without goblets, suitable for YDS-20 / YDS-30
	Canister (TTS38)	TTS30-50	Φ 38 double-tier canister, 2 goblets included, suitable for YDS-20 / YDS-30
	Cork (50)	GS20-50	Suitable for YDS-1 / YDS-20 / YDS-30 / YDS-35 / YDS-20B / YDS-30B / YDS-35B
	Lockable Cap	SG-50	Suitable for container with 50mm neck opening
	Liquid Nitrogen Container	YDS-30-6YS	Includes 6 canisters (height 276mm), lockable cap and protective jacket,roller base is optional
	Liquid Nitrogen Container	YDS-30YS	Includes 6 canisters (height 120mm), lockable cap and protective jacket, roller base is optional
	Liquid Nitrogen Container	YDS-30	Includes protective jacket only, roller base is optional
	Canister (TT38)	TT30-50	Φ 38 single tier canister, without goblets, suitable for YDS-20 / YDS-30
YDS-30	Canister (TTS38)	TTS30-50	Φ 38 double-tier canister, 2 goblets included, suitable for YDS-20/YDS-30
	Roller Base	YSC-S (2019)	Suitable for all 30L / 35L / 50L aluminium tank, equipped with 5 universal wheels
	SmartCap	LT-50-370	Used to monitor level and temperature for containers with 50mm neck opening, data can be transmitted to cloud platform, suitable for YDS-13/YDS-20/YDS-30
	Cork (50)	GS20-50	Suitable for YDS-15 / YDS-20 / YDS-30 / YDS-35 / YDS-20B / YDS-30B / YDS-35B
	Lockable Cap	SG-50	Suitable for container with 50mm neck opening
	Liquid Nitrogen Container	YDS-30-80-6YS	Includes 6 canisters (height 276mm), lockable cap and protective jacket, roller base is optional
	Liquid Nitrogen Container	YDS-30-80YS	Includes 6 canisters (height 120mm), lockable cap and protective jacket, roller base is optional
	Liquid Nitrogen Container	YDS-30-80	Includes protective jacket only, roller base is optional
	Canister (TT63)	TT30-80	$\Phi63$ single tier canister, without goblets, suitable for YDS-30-80
VDC 70 00	Canister (TTS63)	TTS30-80	$\Phi63$ double-tier canister, 2 goblets included. Suitable for YDS-30-80
YDS-30-80	Roller Base	YSC-S (2019)	Suitable for all 30L / 35L / 50L aluminium tank, equipped with 5 universal wheels
	SmartCap	LT-80-370	Used to monitor level and temperature for containers with 80mm neck opening, data can be transmitted to cloud platform, suitable forYDS-20-80/YDS-30-80
	Cork (80)	GS20-80	Suitable for YDS-30-80/YDS-35-80/YDS-35B-80
	Lockable Cap	SG-80	Suitable for container with 80mm neck opening





Model	Product	Model	Description and Accessories
	Liquid Nitrogen Container	YDS-35-6YS	Includes 6 canisters (height 276mm), lockable cap and protective jacket, roller base is optional
	Liquid Nitrogen Container	YDS-35YS	Includes 6 canisters (height 120mm), lockable cap and protective jacket, roller base is optional
	Liquid Nitrogen Container	YDS-35	Includes protective jacket only, roller base is optional
	Canister (TT38)	TT35-50	Φ 38 single tier canister, without goblets, suitable for YDS-35
YDS-35	Canister (TTS38)	TTS35-50	Φ 38 double tier canister, 2 goblets included, suitable for YDS-35
	Roller Base	YSC-S (2019)	Suitable for all 30L / 35L / 50L aluminium tank, equipped with 5 univer- sal wheels
	SmartCap	LT-50-400	Used to monitor level and temperature for containers with 50mm neck open- ing, data can be transmitted to cloud platform, suitable for YDS-35
	Cork (50)	GS20-50	Suitable for YDS-15 / YDS-20 / YDS-30 / YDS-35 / YDS-20B / YDS-30B / YDS-35B
	Lockable Cap	SG-50	Suitable for container with 50mm neck opening
	Liquid Nitrogen Container	YDS-35-80-6YS	Includes 6 canisters (height 276mm), lockable cap and protective jacket, roller base is optional
	Liquid Nitrogen Container	YDS-35-80	Includes protective jacket only, roller base is optional
	Canister (TT63)	TT35-80	Φ 63 single tier canister, without goblets, suitable for YDS-35-80
YDS-35-80	Canister (TTS63)	TTS35-80	Φ 63 double-tier canister, 2 goblets included, suitable for YDS-35-80
103-33-00	Roller Base	YSC-S (2019)	Suitable for all 30L/35L/50L aluminium tank, equipped with 5 universal wheels
	SmartCap	LT-80-400	Used to monitor level and temperature for containers with 80mm neck opening, data can be transmitted to cloud platform, suitable for YDS-35-80
	Cork (80)	GS20-80	Suitable for YDS-30-80 / YDS-35-80 / YDS-35B-80
	Lockable Cap	SG-80	Suitable for container with 80mm neck opening
	Liquid Nitrogen Container	YDS-20B	Includes protective jacket only.
	Canister (TT38)	TT30-50	Φ 38 single tier canister, without goblets, suitable for YDS-20 / YDS-30
YDS-20B	Canister (TTS38)	TTS30-50	Φ 38 double-tier canister, 2 goblets included, suitable for YDS-20/YDS-30
	Cork (50)	GS20-50	Suitable for YDS-15 / YDS-20 / YDS-30 / YDS-35 / YDS-20B / YDS-30B / YDS-35B
	Lockable Cap	SG-50	Suitable for container with 50mm neck opening
	Liquid Nitrogen Container	YDS-30B	Includes protective jacket only, roller base is optional
	Canister (TT38)	TT30-50	Φ 38 single tier canister, without goblets, suitable for YDS-20 / YDS-30
	Canister (TTS38)	TTS30-50	Φ 38 double-tier canister, 2 goblets included, suitable for YDS-20/YDS-30
YDS-30B	Roller Base	YSC-S (2019)	Suitable for all 30L / 35L / 50L aluminium tank, equipped with 5 univer- sal wheels
	Cork (50)	GS20-50	Suitable for YDS-15 / YDS-20 / YDS-30 / YDS-35 / YDS-20B / YDS-30B / YDS-35B
	Lockable Cap	SG-50	Suitable for container with 50mm neck opening
	Liquid Nitrogen Container	YDS-35B	Includes protective jacket only, roller base is optional
	Canister (TT38)	TT35-50	Φ 38 single tier canister, without goblets, suitable for YDS-35
YDS-35B	Canister (TTS38)	TTS35-50	Φ 38 double-tier canister, 2 goblets included, suitable for YDS-35
123-335	Roller Base	YSC-S (2019)	Suitable for all 30L / 35L / 50L aluminium tank, equipped with 5 univer- sal wheels
	Cork (50)	GS20-50	Suitable for YDS-15 / YDS-20 / YDS-30 / YDS-35 / YDS-20B / YDS-30B / YDS-35B
	Lockable Cap	SG-50	Suitable for container with 50mm neck opening

Product List



Model	Product	Model	Description and Accessories
YDS-35B-80	Liquid Nitrogen Container	YDS-35B-80	Includes protective jacket only, roller base is optional
	Canister (TT63)	TT35-80	Φ 63 single tier canister, without goblets, suitable for YDS-35-80
	Canister (TTS63)	TTS35-80	Φ 63 double-tier canister, 2 goblets included, suitable for YDS-35-80
	Roller Base	YSC-S(2019)	Suitable for all 30L / 35L / 50L aluminium tank, equipped with 5 universal wheels
	Cork (80)	GS20-80	Suitable for YDS-30-80 / YDS-35-80 / YDS-35B-80
	Lockable Cap	SG-80	Suitable for container with 80mm neck opening
	Liquid Nitrogen Container	YDS-35B-125	Includes protective jacket only.
	Canister (TT97)	TT35-125	Φ 97 single tier canister, without goblets, suitable for YDS-35-125
	Canister (TTS97)	TTS35-125	Φ 97 double-tier canister, 2 goblets included, suitable for YDS-35-125
YDS-35B-125	Rack	FTT-25-5	Used to store 2ml cryo boxes (5*5), 5 layers in total, 5*5 cryo boxes included, suitable for YDS-35-125
	Roller Base	YSC-S (2019)	Suitable for all 30L / 35L / 50L aluminium tank, equipped with 5 universal wheels
	Cork (125)	GS20-125	Suitable for YDS-30-125 / YDS-35-125 / YDS-47-127 / YDS-35B-125
	Lockable Cap	SG-125	Suitable for container with 125mm neck opening
	Liquid Nitrogen Container	YDS-50B	Includes protective jacket only, roller base is optional
	Canister (TT38)	TT50-50	Φ 38 single tier canister, without goblets, suitable for YDS-50
	Canister (TTS38)	TTS50-50	Φ 38 double-tier canister, 2 goblets included, suitable for YDS-50
YDS-50B	Roller Base	YSC-S (2019)	Suitable for all 30L / 35L / 50L aluminium tank, equipped with 5 universal wheels
	SmartCap	LT-50-500	Used to monitor level and temperature for containers with 50mm neck opening, data can be transmitted to cloud platform, suitable for YDS-50
	Cork (50)	GS10-50	Suitable for YDS-3 / YDH-3 / YDS-6 / YDS-10 / YDS-13 / YDS-25 / YDS-50B
	Lockable Cap	SG-50	Suitable for container with 50mm neck opening
Other Racks	Rack (vertical type)	FDCJ-25-4	Used to store 2ml cryo boxes (5*5), 4 layers in total, suitable for YDS-10\20\30-125 (plastic cryoboxes included)
	Rack (vertical type)	FDCJ-25-5	Used to store 2ml cryo boxes (5*5), 5 layers in total, suitable for YDS-25\35-125; YDS-47-127 (plastic cryoboxes included)
	Rack (vertical type)	FDCJ-25-6	Used to store 2ml cryo boxes (5*5), 6 layers in total, suitable for YDS-50B-125 (plastic cryoboxes included)

Product appearance and specifications are subject to change without notice